



S COLLECTION

PRODUCT OVERVIEW October 2019/2020



ABOUT US

A PIONEER

For over 50 years, Rufac has been a pioneer in design and manufacturing of ergonomic solutions for all work environments. Using the Danish design concept of simplicity and functionality, Rufac products can be seamlessly integrated into any type of workspace. As a company, we are constantly reinventing and improving upon our designs to provide the best solutions for the ever-changing economic, environmental and ergonomic needs of today's workplace. Research has shown the multiple health benefits of sit-to stand desks. Rufac is proud to work with companies that are mindful of the well-being of their employees while providing energizing and flexible spaces for maximum productivity.


GLOBAL MANUFACTURING

Rufac is part of an international group with manufacturing and distribution facilities in Denmark, New Hampshire, and Poland, with a showroom at the Merchandise Mart in Chicago, Illinois. Our facilities are fitted with state-of-the-art equipment that ensures the highest quality of finished product, as well as the health and safety of our employees.


ENVIRONMENTALLY CONSCIOUS

It is Rufac's policy to continuously reduce the environmental impact of our products and processes. We seek to achieve this through better use of raw materials, energy, and by optimizing our production processes. We use and manufacture sustainable products that rely less on synthetic materials, minimize components and production steps, and can be recycled and reused to allow for a positive impact on the overall product life-cycle. As a world leader with 40% renewable energy, Denmark houses our manufacturing plants. Frame components are PVC free while powdercoated tops contain no heavy metals or solvents, no VOC's, reusable when over sprayed, and 100% recyclable.

Rufac requires that all of our vendors, both local and off-shore, adhere to a Chain of Supply Code of Ethics. Globalization has made us increasingly interdependent, and we inform new suppliers about safety, fair wage, and environmental issues that are important to us.



SX - Electric height adjustable



Height range	57,5 - 122,5 cm. +/-5 mm. (without table top)
Adjustment	Electrical height adjustable
Standard	2 leg
Option	3 leg table
Weight capacity	140 kg. (2 leg) and 180 kg. (3 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 36 frames

Foot: M (standard)	547 mm.
L (long)	700 mm. *
S (side table)	400 mm.
C (corner)	250 mm.
T (symmetric/conference)	700 mm. *

Flex crossbar for table top length 900 to 1200 mm.

Flex crossbar for table top length 1200 to 1800 mm.


Fixed crossbar for table top length:	800 mm.
	1200 mm.
	1600 mm.**
	1800 mm.**
	2000 mm.**

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 PVC free
 0,1 watt standby power
 Piezo Anti-Collision - desk protection
 25 pcs. per pellet


* Please notice upgrade charge

** Is also available for corner- and side table solutions

SXL - Electric height adjustable



Height range	57,5 - 122,5 cm. +/-5 mm. (without table top)
Adjustment	Electrical height adjustable
Standard 2 leg	
Weight capacity	100 kg. (2 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 72 frames



Foot:	M (standard)	547 mm.
	L (standard long)	700 mm.*
	T (symmetric/conference)	700 mm.*

Flex crossbar for table top length 900 to 1200 mm.


Flex crossbar for table top length 1200 to 1800 mm.

Fixed crossbar for table top length:
 800 mm.
 1200 mm.
 1600 mm.
 1800 mm.
 2000 mm.

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 PVC free
 0,1 watt standby power
 25 pcs. per pellet

* Please notice upgrade charge

SE - Electric height adjustable



Height range	66,0 - 116,0 cm. +/-5 mm. (without table top)
Adjustment	Electrical height adjustable
Standard	2 leg
Option	3 leg table
Weight capacity	140 kg. (2 leg) and 180 kg. (3 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 36 frames

Foot: M (standard)	547 mm.
L (long)	700 mm. *
S (side table)	400 mm.
C (corner)	250 mm.
T (symmetric/conference)	700 mm. *

Flex crossbar for table top length 900 to 1200 mm.

Flex crossbar for table top length 1200 to 1800 mm.


Fixed crossbar for table top length:	800 mm.
	1200 mm.
	1600 mm.**
	1800 mm.**
	2000 mm.**

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 PVC free
 0,1 watt standby power
 Piezo Anti-Collision - desk protection
 25 pcs. per pellet


* Please notice upgrade charge

** Is also available for corner- and side table solutions

SEL - Electric height adjustable



Height range	66,0 - 116,0 cm. +/-5 mm. (without table top)
Adjustment	Electrical height adjustable
Standard 2 leg	
Weight capacity	100 kg. (2 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 72 frames



Foot:	M (standard)	547 mm.
	L (standard long)	700 mm.*
	T (symmetric/conference)	700 mm.*

Flex crossbar for table top length 900 to 1200 mm.

Flex crossbar for table top length 1200 to 1800 mm.



Fixed crossbar for table top length:

- 800 mm.
- 1200 mm.
- 1600 mm.
- 1800 mm.
- 2000 mm.

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 PVC free
 0,1 watt standby power
 25 pcs. per pellet

* Please notice upgrade charge

SC - Crank height adjustable



Height range	56,0 - 89,0 cm. +/-5 mm. (without table top)
Adjustment	Crank height adjustable (Manual)
Standard 2 leg	
Weight capacity	80 kg. (2 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 36 frames

Foot:	M (standard)	547 mm.
	L (standard long)	700 mm.*
	T (symmetric/conference)	700 mm.*

Flex crossbar for table top length 900 to 1200 mm.

Flex crossbar for table top length 1200 to 1800 mm.


Fixed crossbar for table top length:

- 800 mm.
- 1200 mm.
- 1600 mm.
- 1800 mm.
- 2000 mm.

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 25 pcs. per pellet

* Please notice upgrade charge

SP - Manuel height adjustable



Height range	66,0 - 89,0 cm. +/-5 mm. (without table top)
Adjustment	Manuel height adjustable
Standard	2 leg
Option	3 leg table
Weight capacity	100 kg. (2 leg) and 150 kg. (3 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 36 frames

Foot: M (standard)	547 mm.
L (long)	700 mm. *
S (side table)	400 mm.
C (corner)	250 mm.
T (symmetric/conference)	700 mm. *


Flex crossbar for table top length	900 to 1200 mm.
Flex crossbar for table top length	1200 to 1800 mm.

Fixed crossbar for table top length:	800 mm.
	1200 mm.
	1600 mm.**
	1800 mm.**
	2000 mm.**

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 25 pcs. per pellet

* Please notice upgrade charge

SF - Fixed height adjustable



Height range	68,9 cm. +/-5 mm. (without table top)
Adjustment	Fixed height
Standard	2 leg
Option	3 leg table
Weight capacity	100 kg. (2 leg) and 150 kg. (3 leg)
Standard colors	White (RAL9016), black (RAL9005) or silver (RAL9006)
Special colors	On request - Minimum 36 frames

Foot: M (standard)	547 mm.
L (long)	700 mm. *
S (side table)	400 mm.
C (corner)	250 mm.
T (symmetric/conference)	700 mm. *

Flex crossbar for table top length 900 to 1200 mm.

Flex crossbar for table top length 1200 to 1800 mm.

Fixed crossbar for table top length:	800 mm.
	1200 mm.
	1600 mm.**
	1800 mm.**
	2000 mm.**

Danish design
 Plug & Play, for quick and easy installation
 5-year warranty
 25 pcs. per pellet




* Please notice upgrade charge



Approvals:



INSPIRATION BENCH SOLUTIONS





Rufac A/S

Ellehaven 6

DK-5900 Rudkøbing

Phone +45 6351 5151

www.rufac.dk

Customerservice@rufac.dk